administrator
Castle Chevrolet North
175 N Arlington Heights Road
Elk Grove Village, IL 60007
Phone: (847) 593-4614

Fax: (847) 439-0965

Email: bmartino@castleguy.com

2017 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

PRICING SUMMARY

PRICING SUMMARY - 2017 Fleet/Non-Retail CG23405 RWD 2500 135"

	<u>MSRP</u>
Base Price	\$30,745.00
Total Options:	\$795.00
Vehicle Subtotal	\$31,540.00
Advert/Adjustments	\$0.00
Destination Charge	\$1,195.00
GRAND TOTAL	\$32,735.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

administrator Castle Chevrolet North 175 N Arlington Heights Road Elk Grove Village, IL 60007 Phone: (847) 593-4614

Fax: (847) 439-0965

Email: bmartino@castleguy.com

2017 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2017 Fleet/Non-Retail CG23405 RWD 2500 135"

ENTERTAINMENT

- Audio system, AM/FM stereo with MP3 player seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers (Not available with (U2K) SiriusXM Satellite Radio or (5BV) Upfitter electrical provisions.)
 EXTERIOR
- Wheels, 4 16" x 6.5" (40.6 cm x 16.5 cm) steel includes Gray center caps and steel spare
- Tire, spare LT245/75R16E all-season, blackwall located at rear underbody of vehicle
- Door, swing-out passenger-side, 60/40 split
- Tires, front LT245/75R16E all-season, blackwall
- Tires, rear LT245/75R16E all-season, blackwall
- Bumpers, front and rear painted Black with step-pad (Deleted when (ZR7) Chrome Appearance Package is ordered.)
- Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)
- Headlamps, single halogen (Not available with (ZR7) Chrome Appearance Package.)
- Mirrors, outside manual, Black
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- License plate kit, front

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

administrator Castle Chevrolet North 175 N Arlington Heights Road Elk Grove Village, IL 60007 Phone: (847) 593-4614

Fax: (847) 439-0965

Email: bmartino@castleguy.com

2017 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2017 Fleet/Non-Retail CG23405 RWD 2500 135"

INTERIOR

- Seats, front bucket with vinyl trim and outboard head restraints, includes inboard armrests. (Requires (**W) interior trim. Includes (DAA) driver and front passenger vinyl visors.)
- Seating arrangement, driver and front passenger high-back buckets with head restraints and vinyl or cloth trim (Not available with (AJ3) driver-side only frontal air bag.)
- Air conditioning, single-zone manual
- Console, engine cover with open storage bin
- Floor covering, full-length Black rubberized-vinyl (Not available with (RFM) rear floor covering delete, (5BV) Upfitter electrical or (PCH) Hotel Shuttle Package.)
- Steering wheel, steel sleeve column with theft-deterrent locking feature, Black
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Oil life monitor
- Warning tones, headlamp on and key-in-ignition
- Driver Information Center includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice
 warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside
 temperature available if equipped.
- Door locks, power with lock-out protection (Included with (ZQ2) convenience Package. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.)
- Windows, power (Included with (ZQ2) Convenience Package.)
- Tow/haul mode selector, instrument panel-mounted
- Theft-deterrent system, vehicle, PASS-Key III
- Defogger, side windows
- Cup holders, 3 on the engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Power outlet, 120-volt
- Trim panels, hinged rear side doors and hinged rear doors (Not available with (Y3H) Paratransit Package.)
- Headliner, cloth, over driver and passenger

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

administrator
Castle Chevrolet North
175 N Arlington Heights Road
Elk Grove Village, IL 60007
Phone: (847) 593-4614

Fax: (847) 439-0965

Email: bmartino@castleguy.com

2017 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2017 Fleet/Non-Retail CG23405 RWD 2500 135"

- Visors, driver and front passenger, cloth, padded
- Assist handles, driver and right-front passenger
- Lighting, interior with 4 dome lights 1 overhead and 3 LED's on cross members in cargo area, includes defeat switch and door handle-activated switches
- Cargo tie-downs 6 D-ring attachments on cargo area floor (Not available with (Y3H) Paratransit Package, (5BV)
 Upfitter electrical provisions, (5L3) interior trim panel or (ZP6) 5-passenger Express Crew Van.)

 MECHANICAL
- Engine, Vortec 4.8L V8 SFI (285 hp [212.5 kW] @ 5400 rpm, 295 lb-ft of torque [398.3 N-m] @ 4600 rpm) (Includes external engine oil cooler. Reference the Engine/Axle page for availability.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive tow/haul mode and internal transmission oil cooler (Reference the Engine/Axle page for availability.)
- Rear axle, 3.42 ratio (Reference the Engine/Axle page for availability.)
- Body, standard
- GVWR, 8600 lbs. (3901 kg) (Reference the Engine/Axle page for availability.)
- Transmission oil cooler, external (Deleted when (LWN) 2.8L Duramax Turbo Diesel engine is ordered.)
- Rear wheel drive
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 105 amps (Not available with (Y3H) Paratransit Package or (LWN) 2.8L Duramax Turbo Diesel engine.)
- Frame, full-length box ladder-type
- Suspension, front independent with coil springs and stabilizer bar
- Suspension, rear hypoid drive axle with multi-leaf springs
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Fuel tank capacity, mid-frame and approximately 31 gallons (117.3L)
- Exhaust, aluminized stainless-steel muffler and tailpipe

PACKAGE

Convenience Package includes (A31) power windows and (AU3) power door locks

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

administrator
Castle Chevrolet North
175 N Arlington Heights Road
Elk Grove Village, IL 60007
Phone: (847) 593-4614

Fax: (847) 439-0965

Email: bmartino@castleguy.com

2017 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2017 Fleet/Non-Retail CG23405 RWD 2500 135"

SAFETY

- Brake/transmission shift interlock, for automatic transmissions
- StabiliTrak, traction assistance and vehicle stability enhancement system
- Door beams, steel-side
- Daytime Running Lamps
- Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch. Included with (ZX2) driver and front passenger high-back bucket seats or (ZP6) 5-passenger Express Crew Van Package. Not available with (ZX1) driver only high-back bucket seat or (AJ3) driver-side only frontal air bag. Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bags, driver and right-front passenger, seat-mounted side-impact and head curtain side-impact (Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bag deactivation switch, frontal, passenger-side (Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

administrator

Castle Chevrolet North 175 N Arlington Heights Road Elk Grove Village, IL 60007 Phone: (847) 593-4614

Fax: (847) 439-0965

Email: bmartino@castleguy.com

2017 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2017 Fleet/Non-Retail CG23405 RWD 2500 135"

<u>Code</u>	<u>Description</u>	MSRP_
CG23405	2017 Chevrolet Express Cargo Van RWD 2500 135"	\$30,745.00

SELECTED VEHICLE COLORS - 2017 Fleet/Non-Retail CG23405 RWD 2500 135"

<u>Code</u> <u>Description</u>

Interior: No color has been selected.

Exterior 1: No color has been selected.

Exterior 2: No color has been selected.

SELECTED OPTIONS - 2017 Fleet/Non-Retail CG23405 RWD 2500 135"

CATEGORY		
<u>Code</u>	<u>Description</u>	MSRP_
BODY CODE ZW9	BODY, STANDARD (STD)	\$0.00
EMISSIONS FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
L20	ENGINE, VORTEC 4.8L V8 SFI (285 hp [212.5 kW] @ 5400 rpm, 295 lb-ft of torque [398.3 N-m] @ 4600 rpm) (STD) (Includes external engine oil cooler. Reference the Engine/Axle page for availability.)	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED with overdrive tow/haul mode and internal transmission oil cooler (STD) (Reference the Engine/Axle page for availability.)	\$0.00
AXLE	• •	
GU6	REAR AXLE, 3.42 RATIO (Reference the Engine/Axle page for availability.)	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 482.0, Data updated 3/14/2017 © Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

March 20, 2017 11:15:53 AM

administrator

Castle Chevrolet North 175 N Arlington Heights Road Elk Grove Village, IL 60007

Phone: (847) 593-4614 Fax: (847) 439-0965

Email: bmartino@castleguy.com

2017 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2017 Fleet/Non-Retail CG23405 RWD 2500 135"

CATEGORY		
<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SIDE DOOR		
E24	DOOR, SWING-OUT PASSENGER-SIDE, 60/40 SPLIT (STD)	\$0.00
	EQUIPMENT GROUP	
1WT	2500 VAN PREFERRED EQUIPMENT GROUP includes Standard Equipment	\$0.00
SPARE TIRE		
ZLP	TIRE, SPARE LT245/75R16E ALL-SEASON, BLACKWALL located at rear underbody of vehicle (STD)	\$0.00
SEAT TYPE		
AS5	SEATS, FRONT BUCKET WITH CUSTOM CLOTH TRIM head restraints and inboard armrests (Requires (**G) interior trim. Required with (5BV) Upfitter electrical provisions. Includes (BA3) console with swing-out storage bin.)	\$70.00
SEAT TRIM	3 ,	
93G	MEDIUM PEWTER, CUSTOM CLOTH SEAT TRIM	\$0.00
SEATING ARR	_	
ZX2	SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGH-BACK BUCKETS with head restraints and vinyl or cloth trim (STD) (Not available with (AJ3) driver-side only frontal air bag.)	\$0.00
AIR CONDITIO	· ··· · · ·	
C60	AIR CONDITIONING, SINGLE-ZONE MANUAL (STD)	\$0.00
RADIO		
UOH	AUDIO SYSTEM, AM/FM STEREO WITH MP3 PLAYER AND USB PORT includes seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers (Not available with (U2K) Sirust Stellite Radio.)	\$100.00
ADDITIONAL E USR	AUDIO SYSTEM FEATURE, USB PORT (Included and only available with (U0H) AM/FM stereo with MP3 player, (US8) AM/FM stereo with MP3 compatible CD player or (UI8) Chevrolet MyLink radio with navigation.)	INC

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

administrator
Castle Chevrolet North

175 N Arlington Heights Road Elk Grove Village, IL 60007 Phone: (847) 593-4614

Fax: (847) 439-0965

Email: bmartino@castleguy.com

2017 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2017 Fleet/Non-Retail CG23405 RWD 2500 135"

CATEGORY		
<u>Code</u>	<u>Description</u>	<u>MSRP</u>
ADDITIONAL I	EQUIPMENT	
BA3	CONSOLE, ENGINE COVER WITH SWING-OUT STORAGE BIN (Included with (AS5) front bucket seats with Custom Cloth.)	INC
DRJ	MIRROR, INSIDE REARVIEW includes Rear Vision Camera display (Requires (UVC) Rear Vision Camera. Not available with (UI8) Chevrolet MyLink radio with Navigation.)	\$0.00
UVC	REAR VISION CAMERA display integrated into rearview mirror (Display included with (DRJ) inside rearview mirror. Display integrated into navigation screen when (UI8) Chevrolet MyLink radio with navigation is ordered.)	\$200.00
SPECIAL EQL	IIPMENT ÓPTIONS	
01U	SPECIAL PAINT	\$0.00
TGK	SPECIAL PAINT, SOLID, ONE COLOR All normally body colored non- sheet metal parts will be flat Black (Required with any SEO paint selection. Not available with RPO (B46) rear body-colored halo trim. May require extra lead time and GM will require 5 orders before sending to the plant.)	\$425.00
OPTIONS TO	TAL .	\$795.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

administrator
Castle Chevrolet North
175 N Arlington Heights Road
Elk Grove Village, IL 60007
Phone: (847) 593-4614

Fax: (847) 439-0965

Email: bmartino@castleguy.com

2017 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

TECHNICAL SPECIFICATIONS

POWERTRAIN - BASIC SPECIFICATIONS - 2017 Fleet/Non-Retail CG23405 RWD 2500 135"

ENGINE

Engine Order Code L20
Engine Type Gas V8
Displacement 4.8L/293 CID
SAE Net Horsepower @ RPM 285 @ 5400
SAE Net Torque (lb ft) @ RPM 295 @ 4600

TRANSMISSION

Transmission order code MYD
Transmission Type Description * 6-Speed Automatic
Drive Train Rear Wheel Drive

MILEAGE

City EPA fuel economy estimate (MPG)

Hwy EPA fuel economy estimate (MPG)

City cruising range (mi)

Hwy cruising range (mi)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

^{*} Indicates equipment which is in addition to or replaces base model's standard equipment.

administrator
Castle Chevrolet North

175 N Arlington Heights Road Elk Grove Village, IL 60007

Phone: (847) 593-4614 Fax: (847) 439-0965

Email: bmartino@castleguy.com

2017 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

TECHNICAL SPECIFICATIONS

POWERTRAIN - ADVANCED SPECIFICATIONS - 2017 Fleet/Non-Retail CG23405 RWD 2500 135"

TRANSMISSION				
Gear Ratio (:1)				
First Gear Ratio (:1)	4.03			
Second Gear Ratio (:1)	2.36			
Third Gear Ratio (:1)	1.53			
Fourth Gear Ratio (:1)	1.15			
Fifth Gear Ratio (:1)	0.85			
Sixth Gear Ratio (:1)	0.67			
Reverse Ratio (:1)	3.06			
Clutch size (in)				
Power Take-Off				
TRANSFER CASE				
Transfer case model				
Gear Ratio (:1)				
Transfer case high gear ratio				
Transfer case low gear ratio				
Transfer case power take off				
DIFFERENTIAL	Front		Rear	
Axle Ratio (:1)			3.42	
ELECTRICAL				
Battery	1	2	3	Total
Battery cold cranking Amps @ 0 F	600.00		60	00.00
Alternator				
Alternator Amps	105.00			
COOLING SYSTEM				
Cooling system capacity	13.60			
Engine oil cooler	Yes			

^{*} Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

administrator Castle Chevrolet North 175 N Arlington Heights Road Elk Grove Village, IL 60007

Phone: (847) 593-4614 Fax: (847) 439-0965

Email: bmartino@castleguy.com

2017 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

TECHNICAL SPECIFICATIONS

PAYLOAD/TRAILERING SPECIFICATIONS - 2017 Fleet/Non-Retail CG23405 RWD 2500 135"

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Wt Rating (lbs)	4,100.00	5,360.00	
Curb Weight (lbs)	2,982.00	2,359.00	5,341.00
Total Option Weight (lbs)	* 43.00	* 12.00	* 55.00
As Spec'd Curb Weight (lbs)	* 3,025.00	* 2,371.00	* 5,396.00
As spec'd payload (lbs)			* 3,204.00
Total Weight (lbs)	* 3,025.00	* 2,371.00	* 5,746.00
Reserve Axle Capacity (lbs)	* 1,075.00	* 2,989.00	* 4,064.00
Gross Vehicle Wt Rating (lbs)			8,600.00
Gross Combined Wt Rating (lbs)			14,600.00
TRAILERING	Max Trailer Wt.	Max Tongue Load	
Dead Weight Hitch (lbs)	* 5,000.00	* 500.00	
Weight Distributing Hitch (lbs)	* 8,900.00	* 890.00	
Fifth Wheel Hitch (lbs)		*	

^{*} Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

administrator Castle Chevrolet North 175 N Arlington Heights Road Elk Grove Village, IL 60007

Phone: (847) 593-4614 Fax: (847) 439-0965

Email: bmartino@castleguy.com

2017 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2017 Fleet/Non-Retail CG23405 RWD 2500 135"

•		002010011112 2000		
SUS	SPENSION	Front	Rear	
	Spring			
	Spring Type	Coil Spring	Hypoid Multi-Leaf	
	Spring Capacity	4,100.00	5,360.00	
	Axle			
	Axle Type	Independent	Semi-Floating	
	Axle Capacity	4,100.00	5,360.00	
	Shock Absorber Diameter (mm)	N/A	N/A	
	Stabilizer Bar Diameter (in)	1.38		
BR	AKES			
	Brake type	Pwr		
	ABS System	4-Wheel		
		Front	Rear	
	Disc	Yes	Yes	
	Rotor Diam x Thickness (in)	12.8 x 1.5	13.0 x 1.1	
	Drum			
	Drum Diam x Width (in)			
TIR	ES	Front	Rear	Spare
	Tire Order Code	XLP	YLP	ZLP
	Tire Size	LT245/75R16E	LT245/75R16E	LT245/75R16E
	Capacity	2,205.00	3,042.00	- TBD -
	Revolutions/Mile @ 45mph	- TBD -	- TBD -	- TBD -
WH	EELS	Front	Rear	Spare
	Wheel Size	16 x 6.5	16 x 6.5	16 x 6.5
	Wheel Type	Steel	Steel	Steel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

administrator Castle Chevrolet North 175 N Arlington Heights Road Elk Grove Village, IL 60007 Phone: (847) 593-4614

Fax: (847) 439-0965

Email: bmartino@castleguy.com

2017 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2017 Fleet/Non-Retail CG23405 RWD 2500 135"

STEERING		
Steering type	Pwr	
Ratio (:1)		
On Center	17.20	
At Lock	17.20	
Turning Diameter		
Curb-to-Curb	49.20	
Wall-to-Wall	N/A	
FUEL TANK	Main	Auxiliary
Capacity	31.00	
Location	Mid-frame	

^{*} Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

administrator
Castle Chevrolet North
175 N Arlington Heights Road
Elk Grove Village, IL 60007
Phone: (847) 593-4614

Fax: (847) 439-0965

Email: bmartino@castleguy.com

2017 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

TECHNICAL SPECIFICATIONS

DIMENSIONS - 2017 Fleet/Non-Retail CG23405 RWD 2500 135"

70 100	
135.00	
224.10	
79.20	
84.60	
39.70	
27.80	
11.00	
7.10	
Dual Swing-out	
49.40	
57.00	
Swing-out	
47.90	
44.10	
20.30	
20.80	
153.60	
124.60	
	224.10 79.20 84.60 39.70 27.80 11.00 7.10 Dual Swing-out 49.40 57.00 Swing-out 47.90 44.10 20.30 20.80

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

administrator
Castle Chevrolet North
175 N Arlington Heights Road
Elk Grove Village, IL 60007
Phone: (847) 593-4614

Fax: (847) 439-0965

Email: bmartino@castleguy.com

2017 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

TECHNICAL SPECIFICATIONS

DIMENSIONS - 2017 Fleet/Non-Retail CG23405 RWD 2500 135"

CARGO AREA DIMENSIONS		
Cargo Area Width @ Beltline	- TBD -	
Cargo Box Width @ Wheelhousings	52.70	
Cargo Box (Area) Height (in)	52.90	
Cargo Volume (ft³)	239.70	
INTERIOR DIMENSIONS		
Passenger Capacity	2	
Seating Position	Front	
Head Room (in)	39.80	
Leg Room (in)	41.30	
Shoulder Room (in)	68.80	
Hip Room (in)	65.50	

^{*} Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.